

# Warburton DNA Results

FTDNA Code	Earliest Ancestor	Location of Participant	Panel 1												Panel 2								
			DYS393	DYS390	DYS19	DYS391	DYS385a	DYS385b	DYS426	DYS388	DYS439	DYS389i	DYS392	DYS389ii	DYS458	DYS459a	DYS459b	DYS455	DYS454	DYS447	DYS437	DYS448	DYS449
01 - A group of matching results based on Cheshire. The genetic distance in one of these matches suggests a very early, probably Medieval, common ancestor for the whole group.																							
H1564	William (1740-1820), Mobberley, Cheshire	Somerset	13	24	14	11	11	14	12	12	12	13	13	29	17	9	10	11	11	25	14	19	30
H1112	John (c1608-1691), Hale Barns, Cheshire	Monmouthshire	13	24	14	11	11	14	12	12	12	13	13	29	16	9	10	11	11	25	14	19	30
224096	Thomas (1810-1893), Culcheth, Warrington, Lancashire	Canada	13	24	14	11	11	14	12	12	12	13	13	29	17	9	10	11	11	25	14	19	30
H1572	John (c1734-1823), Houghton Green, Lancashire	California	13	24	14	11	11	14	12	12	12	13	13	29	17	9	10	11	11	25	14	19	30
H1579	John (c1734-1823), Houghton Green, Lancashire	British Columbia	13	24	14	11	11	14	12	12	12	13	13	29	17	9	10	11	11	25	14	19	30
H1580	John (1809-), Ince, Cheshire	Cheshire	13	24	14	11	11	14	12	12	12	13	13	29	17	9	10	11	11	25	14	19	30
H1574	Hamlet (c1635-1700), Warrington, Lancashire	British Columbia	13	24	14	10	11	14	12	12	12	13	13	29	17	9	10	11	11	25	14	19	30
H1578	George (c1674-1735), Warburton, Cheshire	Kansas	13	24	14	11	11	14	12	12	12	13	13	29	18	9	10	11	11	25	14	19	30
224421	John (c 1754-1821) Warrington, Lancashire	Cheshire	14	24	14	11	11	14	12	12	13	13	29	17	9	10	11	11	25	14	19	30	
This profile is from is from Ancestry, surname Warbritton, which suggests Warbritton is derived from Warburton. There is a family story the name was changed during the American War of Independence.																							
Warbritton USA	USA	USA	13	24	14	11	11	14	12	12	12	13	13	30	15	9	10	11	11	25	14	19	30
02 - Garryhinch Clan. These results are from descendants of 2 brothers who lived in Ireland in the 17th Century. The family claimed kinship with the Warburtons of Arley Hall so this might be the profile brought to England in the Norman Conquest by Odard de Dutton.																							
H1566	George (c1640-1709), Garryhinch, Ireland	Isle of Wight	12	23	15	10	12	16	11	14	11	13	11	29	16	8	9	10	11	23	15	20	30
H1571	Richard (c1637-1717), Garryhinch, Ireland	Prince Edward Island	12	23	15	10	13	16	11	14	11	13	11	29	16	8	9	10	11	23	15	20	30
241263	George (c1640-1709), Garryhinch, Ireland	Pennsylvania	12	23	15	10	12	16	11	14	11	13	11	29	16	8	9	10	11	23	15	20	31
03 - Warburton Village clan. Although from the same clan these results include a mismatch, so at least one of them must result from a 'non-paternal' event.																							
H1565	Thomas (c1557-1627), Warburton, Cheshire	England	13	22	14	10	13	14	11	14	11	12	11	29	14	8	9	8	11	23	17	21	29
H1577	Thomas (c1557-1627), Warburton, Cheshire	Pennsylvania	13	22	14	10	13	14	11	14	11	12	11	29	14	8	9	8	11	23	16	21	29
H1569	Thomas (c1557-1627), Warburton, Cheshire	Anglesey	13	24	14	11	11	13	12	12	12	13	13	29	18	9	10	11	11	25	15	19	29
Note: The AS13 suffix on the I1a haplotype is after Ken Nordtvedt.																							
04 - A match from Lancashire.																							
H1584	William (c1718-1777), Radcliffe, Lancashire	Lancashire	13	23	14	11	11	14	12	12	11	13	14	29	17	9	10	11	11	24	15	19	30
H1582	Peter (c1809-), Turton, Lancashire	Lancashire	14	23	14	11	11	14	12	12	11	13	14	29	17	9	10	11	11	24	15	19	30
211606	Thomas (1775-1830), Lancaster, Lancashire	Australia	13	23	14	11	11	14	12	12	12	13	13	29	17	9	10	11	11	24	15	19	29
225866	James (1784-1851), Haslingden, Lancashire	Utah	14	23	14	10	11	14	12	12	11	13	14	29	17	9	10	11	11	24	15	19	29
05 - These are profiles, known, or believed to be from the descendants of an illegitimate Warburton.																							
H1573	John Charles (18098-1878), Wilmslow, Cheshire	California	13	24	14	11	11	15	12	12	11	12	13	28	17	9	10	11	11	25	15	19	29
H1570	Robert (1828-), Stockport, Cheshire	Perth, Australia	13	24	14	12	11	14	12	12	11	13	13	30	17	9	9	11	11	25	14	19	30
H1023	Fredric George (1847-), Audley, Staffordshire	New Jersey	13	24	14	10	11	14	12	12	12	13	13	29	18	9	9	11	11	25	15	19	28
99 - These profiles are as yet unmatched																							
H1575	Ralph (c1817-1866), Sandbach, Cheshire	Australia	13	25	14	11	11	14	12	12	12	14	13	30	17	9	10	11	11	25	15	19	29
H1251	John (c1770), Rochdale, Lancashire	Australia	13	22	14	10	11	15	12	12	11	12	13	28	16	9	10	11	11	24	15	20	29
H1576	Thomas (1809-1866, Newark, Nottinghamshire	West Virginia	12	24	15	11	11	15	12	12	11	13	13	30	18	9	10	11	11	25	14	19	29
H1581	William (1797-), Audley, Staffordshire	Staffordshire	14	24	15	11	11	14	12	12	12	13	13	29	16	9	9	11	11	25	15	19	29
216971	William (1770-), Liverpool, Lancashire	Lancashire	13	25	14	11	12	14	12	12	13	13	13	29	17	9	9	11	11	25	15	19	29
216972	Joseph (abt 1767-1844), Marple, Cheshire	Lancashire	13	23	14	11	11	13	12	12	11	13	13	29	19	9	10	11	11	24	15	19	28
224095	Samuel (abt 1744), Shocklach, Cheshire	Lancashire	13	24	15	12	11	14	12	12	12	13	13	29	17	9	10	11	11	25	15	19	29
H1588	John (c1550-c1592), Bowdon, Cheshire	Cheshire	14	23	16	10	15	15	11	13	11	14	12	32	17	8	10	11	11	25	14	20	28
211609	George (1826-1910), Sharples, Bolton, Lancashire	Lancashire	13	23	15	10	12	15	11	17	12	13	11	29	17	8	9	10	11	26	14	18	28
H1583	Jacob (1782-), Bury, Lancashire	Rhode Island	14	22	16	11	14	17	11	12	12	12	11	28	16	9	9	11	11	23	15	21	26
Note: The Cont1 suffix on the I2b1 haplotype, and the Western suffix on the I12a haplotype are after Ken Nordtvedt.																							
The following are other interesting chromosomes. They are not participants in the DNA Project but have been obtained from other sources.																							
This Mongan profile is from a probable descendant of the brother of Charles Mongan Warburton, Bishop of Cloyne, and so might be the profile of the Mongan Clan..																							

# Warburton DNA Results

FTDNA Code	Earliest Ancestor	Location of Participant																					
			DYS393	DYS390	DYS19	DYS391	DYS385a	DYS385b	DYS426	DYS388	DYS439	DYS389i	DYS392	DYS389ii	DYS458	DYS459a	DYS459b	DYS455	DYS454	DYS447	DYS437	DYS448	DYS449
Mongan	Ireland, late 18th century	Australia	13	26	14	10	11	13	12	12	12	13	14	29	17	9	10	11	11	25	15	18	30
This group are non-Warburtons with a close match to Group 01. They may be entirely random matches, but also they may result from the illegitimate sons of Warburtons, as yet not found.																							
Hunter	Lancashire, 1861	USA	13	24	14	11	11	14	12	12	13	13	29	17	9	10	11	11	25	14	19	30	
Brunton		North Carolina	13	24	14	11	11	14	12	12	13	13	29	17	10	10	11	11	25	14	19	29	
Edwards		California	13	24	14	11	11	14	12	12	13	13	29	17	9	10	11	11	25	14	19	30	
It is only a family legend that the following is a Warburton chromosome, and confirmation is needed through a genetic match. It clearly does not match the above 1a1 Warburton.																							
Jordan	Liverpool, 1855	California	13	22	15	10	13	14	11	14	11	13	11	29	16	9	9	8	11	23	16	20	27
Red background indicates a difference from the first profile of that group.																							
FTDNA Code	Earliest Ancestor	Location of Participant	DYS393	DYS390	DYS19	DYS391	DYS385a	DYS385b	DYS426	DYS388	DYS439	DYS389i	DYS392	DYS389ii	DYS458	DYS459a	DYS459b	DYS455	DYS454	DYS447	DYS437	DYS448	DYS449

# Warburton DNA Results

DYS464a	DYS464b	DYS464c	DYS464d	DYS460	GATA H4	YCAIIa	YCAIIb	DYS456	DYS607	DYS576	DYS570	CDY a	CDY b	DYS442	DYS438	DYS441	DYS444	DYS445	DYS446	DYS452	DYS461	DYS462	DYS463	DYS635	GATAA10	GGAAT1B07	Haplotype
Panel 3																DNAH Specific											
15	15	16	16	11	11	19	23	16						12	12	13	12	12	12	30	12	11	24	22	13	10	R1b1a2
15	15	16	16	11	11	19	23	16						12	12	13	12	12	12	30	12	11	24	22	13	10	R1b1a2a1a1c1a (Z306)
15	15	15	16	11	11	19	23	16	15	18	18	34	38	12	10												R1b1a2
15	15	16	16	11	11	19	23	16						12	12	13	13	12	12	30	12	11	24	22	13	10	R1b1a2
15	15	16	16	11	11	19	23	15						12	12	13	12	12	13	30	12	11	24	22	13	10	R1b1a2
15	15	16	16	11	11	19	23	15						12	12	13	11	12	12	30	12	11	24	22	13	10	R1b1a2
15	15	15	16	11	11	19	23	16						11	12	13	11	12	12	30	12	11	24	22	13	10	R1b1a2
15	15	16	16	11	11	19	23	15	15	17	18	35	38	12	12												R1b1a2
15	15	16	16	11	11	19	23	16						12	12	13	12	12	12	30	12	11	24	22	13	10	R1b1a2
11	12	16	16	10	11	19	19	16						13	9	14	13	6	13	32	13	11	22	25	14	11	J2
12	13	16	16	10	11	19	19	16						13	9	14	13	6	13	32	14	11	22	25	14	11	J2
12	13	16	16	10	11	19	19	16	14	16	16	35	35	13	9												J2
14	15	15	16	10	10	19	21	13						12	10	16	14	11	13	31	12	12	21	23	13	11	I1a - AS13
14	15	15	16	10	10	19	21	13						12	10	16	14	11	14	31	12	12	21	23	13	11	I1a - AS13
15	15	17	19	11	12	19	24	16						12	12	13	11	12	13	30	12	11	24	23	13	11	R1b
15	16	17	19	11	11	19	23	16						13	12	13	12	12	14	30	12	11	24	23	13	10	R1b1a2
15	15	17	19	11	11	19	23	16						13	12	13	12	12	14	30	12	11	24	23	13	10	R1b1a2
15	16	16	19	11	11	19	23	16	15	19	18	38	39	13	12												R1b1a2
15	16	17	19	11	11	19	23	16	15	18	17	37	39	13	12												R1b1a2
15	16	17	17	11	11	20	23	15						11	12	13	12	12	14	30	12	11	24	23	14	10	R1b
15	16	17	17	11	11	19	23	16						11	12	13	12	12	13	30	13	11	24	23	13	10	R1b
16	16	16	16	11	11	19	23	16						11	12	13	12	12	13	30	12	12	24	23	14	10	R1b
15	15	16	17	10	11	19	23	16						12	12	13	13	12	13	31	12	11	24	24	13	10	R1b
15	15	17	18	11	11	19	23	15						13	12	13	12	12	13	30	12	11	24	25	13	10	R1b
14	15	15	17	11	11	20	23	15						12	12	13	11	12	13	30	12	11	24	23	12	10	R1b
15	15	15	15	11	11	19	22	15						12	12	13	12	12	13	30	12	11	24	23	13	10	R1b
15	15	15	18	10	11	19	23	16	15	20	20	38	38	12	12												R1b1a2
15	16	16	16	11	11	19	23	16	16	17	17	34	36	13	12												R1b1a2
14	15	17	17	11	11	19	23	15	15	17	17	36	37	12	12												R1b1a2
11	14	15	15	11	9	19	21	14						12	10	13	12	10	11	31	12	12	22	21	12	11	I2b1-Cont 1
11	14	14	15	10	10	21	21	14	10	16	18	32	35	12	10												I2a - Western
12	13	13	14	11	10	20	21	14						11	10	14	12	11	15	26	12	12	22	22	12	11	G2a

# Warburton DNA Results

DYS464a	DYS464b	DYS464c	DYS464d	DYS460	GATA H4	YCAIIa	YCAIIb	DYS456	DYS607	DYS576	DYS570	CDY a	CDY b	DYS442	DYS438	DYS441	DYS444	DYS445	DYS446	DYS452	DYS461	DYS462	DYS463	DYS635	GATAA10	GGAAT1B 07	Haplotype
15	16	16	17	11	11	19	23	17						12	12	13	12	12	13	30	12	11	24	24	13	10	R1b
15	15	16	16	13	11	19	23	16						12	12	13	12	12	12	30	12	11	24	22	13	10	R1b1a2
15	15	16	16	13	11	19	23	16						12	12	13	12	12	12	30	12	11	24	22	13	10	R1b1a2
15	15	16	16	11	11	19	23	16						12	12	13	12	12	12	30	12	11	24	22	13	10	R1b1a2
13	13	15	15	10	20	19	21	15						12	10												l1a
DYS464a	DYS464b	DYS464c	DYS464d	DYS460	GATA H4	YCAIIa	YCAIIb	DYS456	DYS607	DYS576	DYS570	CDY a	CDY b	DYS442	DYS438	DYS441	DYS444	DYS445	DYS446	DYS452	DYS461	DYS462	DYS463	DYS635	GATAA10	GGAAT1B 07	Haplotype